

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"dynamic AD Converter" with test\$3	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S2	0	"dynamic Analog to digital Converter" with test\$3	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S3	5693	digital with converter with test\$3	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S4	5693	digital with converter with test\$3	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S5	240	S4 and (precision with signal)	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S6	240	S4 and (precision with signal)	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S7	156	S6 and (reference with signal)	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S8	156	S6 and (reference with signal)	US-PGPUB; USPAT; USOCR; FPI&S; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S9	88	S8 and comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S10	88	S8 and comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S11	67	S10 and (upper or lower)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S12	88	S10 and (upper or lower or high or low)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S13	6	((("5283515") or ("6229465") or ("6492797"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S14	27	"precision signal generator"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S15	27	"precision signal generator"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S16	13	S15 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S17	13	S15 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S18	1	S17 and ADC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S19	1	S17 and (ADC or (analog \$2digital\$2converter) or "analog-to-digital")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S20	53	comparator with generator with reference with precision	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S21	53	comparator with generator with reference with precision	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S22	3	S21 and ADC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S23	3	S21 and ADC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S24	3	S23 AND @ ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S25	3	S23 AND @ ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S26	2	S25 and test\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S27	10838	(324/74.0 or 324/73.1 or 324/765 or 340/870.21 or 341/128 or 341/129 or 341/120 or 710/69 or 323/288 or 327/131 or 327/134).ccls.	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S28	10838	(324/74.0 or 324/73.1 or 324/765 or 340/870.21 or 341/128 or 341/129 or 341/120 or 710/69 or 323/288 or 327/131 or 327/134).ccls.	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S29	5221	S28 and ((integrated with circuit)or ic or analog\$1 to \$1digital\$1converter or ADC)	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S30	5221	S28 and ((integrated with circuit)or ic or analog\$1 to \$1digital\$1converter or ADC)	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S31	3643	S30 and @ ad<"20030730"	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S32	3643	S30 and @ ad<"20030730"	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S33	256	S32 and precision and (reference with signal)	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S34	256	S32 and precision and (reference with signal)	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S35	147	S34 and comparator	US-PGPUB; USPAT; USOCR; FPIRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S36	147	S34 and comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S37	3	S36 and (turn\$3off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S38	3441	(702/118 or 702/117 or 702/108 or 702/189).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S39	3441	(702/118 or 702/117 or 702/108 or 702/189).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S40	2176	S39 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S41	2176	S39 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S42	760	S41 and (test\$3 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S43	760	S41 and (test\$3 with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S44	194	S43 and ((integrated with circuit) or IC or ADC or (analog\$1to\$1digital \$1converter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S45	194	S43 and ((integrated with circuit) or IC or ADC or (analog\$1to\$1digital\$1converter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S46	0	S45 and ((precision with signal)and (signal with generator) and comparator and (turn\$2 with off))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S47	0	S45 and ((precision with signal)and (signal with generator) and comparator and (turn\$3off))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S48	0	S45 and ((precision with signal)and (signal with generator) and comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S49	0	S45 and ((precision near signal)and (signal with generator) and comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S50	0	S45 and ((precision near signal)and (signal near generator) and comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S51	0	S45 and ((precision near signal) and comparator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S52	42	S45 and comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S53	42	S45 and comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S54	20	S53 and (signal with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S55	20	S53 and (signal with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S56	4	S55 and precision	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S57	4	S55 and precision	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S58	0	S57 and (turned with off) and (turned with on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S59	0	S57 and "on" and "off"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S60	2	("5283515").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S61	2	("6492797").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S62	2	("6229465").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S63	2	("7092265").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S64	8	((("7092265") or ("6809678") or ("6124793") or ("5539515")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S65	1129	comparator with test with reference with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S66	1129	comparator with test with reference with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S67	11	S66 same (precision with signal with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S68	11	S66 same (precision with signal with generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S69	0	S68 same ("on" and "off")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S70	162	compare with test with signal with ((reference or threshold) adj signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S71	162	compare with test with signal with ((reference or threshold) adj signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

S72	39	S71 same comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S73	39	S71 same comparator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S74	28	S73 and @ad<"20030730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48
S75	2	("5283515").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/26 10:48

2/26/2008 11:52:44 AM

C:\Documents and Settings\edesta\My Documents\EAST\Workspaces\10566461.wsp